

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	1	("4813024").PN.	USPAT; USOCR
<b>2</b>	87	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>3</b>	4	("5410726"   "5423044"   "5530753"   "5675724").PN.	USPAT
<b>4</b>	0	"6047375".URPN.	USPAT
<b>5</b>	1	("4870681").PN.	USPAT; USOCR
<b>6</b>	1	("6101255").PN.	USPAT; USOCR
<b>7</b>	1	("6141422").PN.	USPAT; USOCR
<b>8</b>	193	(parallel or simultaneous\$2) near3 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (process\$3 or operation\$1 or function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>9</b>	1	("6477646").PN.	USPAT; USOCR
<b>10</b>	15	"4731843".URPN.	USPAT
<b>11</b>	1	("6378009").PN.	USPAT; USOCR
<b>12</b>	1	("6378021").PN.	USPAT; USOCR
<b>13</b>	1	("6378072").PN.	USPAT; USOCR
<b>14</b>	0	((multiple or plural\$3 or second or other) near2 processor\$2) same ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or functions or task\$1 or prosess\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>15</b>	11	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (operation\$1 or functions or task\$1 or prosess\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>16</b>	40	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>17</b>	1	meislahn and angelo.in.	USPAT
<b>18</b>	1	("4813024").PN.	USPAT; USOCR

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>19</b>	7	"4813024".URPN.	USPAT
<b>20</b>	6	feyt.in. and benoit.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>21</b>	418	kocher.in.	US-PGPUB; USPAT
<b>22</b>	1	kocher-paul.in.	US-PGPUB; USPAT
<b>23</b>	7	kocher.in. and (leak\$ near3 cryptograph\$2)	USPAT
<b>24</b>	3026	713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and @ad<"20000108"	US-PGPUB; USPAT
<b>25</b>	361	(713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))	US-PGPUB; USPAT
<b>26</b>	152	((713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) ) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT

	Hits	Search Text	DBs
27	96	((713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) ) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))) and (parallel or simultaneous\$2)	US-PGPUB; USPAT
28	40	(713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal\$5 or monitor\$3))	US-PGPUB; USPAT
29	12	((713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal\$5 or monitor\$3))) and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT
30	5	(713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("differential power analysis" or dpa)	US-PGPUB; USPAT
31	22	(complementary near3 operation\$1) same (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	84	((random near3 (assign\$3 or select\$3 )) with \$processor\$1) and (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
33	55	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	0	S126 and ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	1	S126 and ("differential power analysis" or dpa)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	14	S126 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	4	("5410726"   "5423044"   "5530753"   "5675724").PN.	USPAT
38	0	"6047375".URPN.	USPAT
39	128	(parallel or simultaneous\$2) near3 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (process\$3 or operation\$1 or function\$1) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	16	"4731843".URPN.	USPAT
41	0	((multiple or plural\$3 or second or other) near2 processor\$2) same ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or functions or task\$1 or prosess\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	8	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (operation\$1 or functions or task\$1 or prosess\$3) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	25	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1)) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	8	"4813024".URPN.	USPAT
45	3939	713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT
46	201	S139 and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT
47	28	S139 and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) same ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT
48	54	S139 and ("power consumption" near5 (anal\$5 or monitor\$3))	US-PGPUB; USPAT

	Hits	Search Text	DBs
49	23	S143 and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT
50	19	("4641346"   "4641347"   "4725718"   "4757537"   "4775246"   "4802218"   "4831555"   "4853961"   "4932053"   "4997288"   "5500601"   "5533123"   "5995629"   "6154734"   "6327661"   "6419159"   "6498404"   "6510518"   "6594760").PN.	US-PGPUB; USPAT; USOCR
51	32	("4932053").URPN.	USPAT
52	4	("4932053"   "5594493"   "5796083"   "5815577").PN.	US-PGPUB; USPAT; USOCR
53	50	ugon-michel.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	23	S139 and ("power consumption" near5 (anal\$5 or monitor\$3)) and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT
55	15	S139 and ("differential power analysis" or dpa)	US-PGPUB; USPAT
56	12	kocher.in. and (leak\$ near3 cryptograph\$2)	US-PGPUB; USPAT
57	25	(complementary near3 operation\$1) same (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	57	((random near3 (assign\$3 or select\$3 )) with \$processor\$1) and (cryptograph\$2 or encrypt\$3 or decrypt\$3) and (@ad<"20001227" or @riad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB